

Antibleed Primers

ANTISTAIN AQUA 2901
GORI 642 & GORI 643



Specially formulated for bleeding hardwoods

Teknos' antibleed primers are specially formulated for hardwoods such as oak, iroko, meranti, framiré and teak which contain water-soluble tannins which can stain white topcoats. Our antibleed primers effectively lock in the colour migrating from the water-soluble tannins and extractives preventing any discolouration of the topcoat.

Teknos first on the market

The antibleed primers are among the first one-component water-based products on the market capable of bonding all water-soluble substrates and effectively preventing any discolouration of the top coat. Antibleed primers ensure a lasting result when applied as part of the coating system.

Excellent end result

Antibleed primers provide the best possible primed surface for your top coat and offer excellent filling properties to close pores and other impressions

in the wood smoothing out any unevenness in the wood's surface, even when the quality of the wood may vary. Like by other Teknos products the emphasis is on durability, convenient handling and ease of application.


EU regulations

We comply with the rules according to the VOC Directive. We work continuously to ensure that our products comply with the REACH regulations.

Give us a call


A call to Teknos is a quick and easy way to get sound advice if you are considering using ANTISTAIN AQUA 2901 / GORI 642 & GORI 643 or any other Teknos coating product.

Our technical support organisation are always ready to support you in designing your optimal coatings solution and application system.



▲ Conventional coating products were used on the left whilst the wood on the right was coated with Teknos antibleed primers

Meet today's high demands on surface appearance ▼




642
2901-52

643
2901-00

Features and benefits

Features	Benefits
Antibleed primers effectively lock in colour migrating from water-soluble tannins in hardwoods such as oak, iroko, meranti, framiré and teak	Effectively prevent discolouration of the top coat, thereby ensuring an excellent end result which lasts for a long time
Excellent filling and wetting properties to close pores and other impressions in the wood, smoothing out unevenness in the wood's surface	Reduces the need for sanding if needed at all and ensures a consistent and even top coat quality
Teknos' antibleed primers are free of zinc oxide	Fully compliant with actual requirements for the protection of health and the environment

ANTISTAIN AQUA 2901 / GORI 642 & GORI 643

Product	ANTISTAIN AQUA 2901	GORI 642	GORI 643
Content	Synthetic binder, water	Synthetic binder, water	Synthetic binder, water
Colour	Antique white	White, colourless Can not be tinted	White, colourless Can not be tinted
Packing	3, 10, 20, 120, 1000 l	3, 10, 20, 120, 1000 l	3, 10, 20, 120, 1000 l

Recommended coating systems

	Resistant hardwood Opaque	Resistant hardwood Transparent
Primer / Special Primer		GORI 615 / GORI 646
Special Primer	GORI 642	GORI 642
Special Primer	GORI 642 / GORI 643*	
Topcoat	GORI 660	GORI 660

* GORI 643 > 100 microns wet to obtain full knot sealing effect

	Resistant hardwood Opaque
Special Primer	ANTISTAIN AQUA 2901-52
Special Primer	ANTISTAIN AQUA 2901-52 / -00
Topcoat	AQUATOP 2600

Teknos A/S
 Industrivej 19
 DK-6580 VAMDRUP
 Danmark
 Tel. +45 76 93 94 00
 salg@teknos.dk

Teknos Oy
 Takkatie 3, P.O.Box 107
 FI-00371 HELSINKI
 Finland
 Tel. +358 9 506 091
 sales@teknos.fi

www.teknos.com